

MADRID DECLARATION ON ETHICAL STANDARDS FOR PSYCHIATRIC PRACTICE

Approved by the General Assembly on August 25, 1996 and amended by the General Assembly in Yokohama, Japan, in August 2002

DECLARATION OF MADRID

In 1977, the World Psychiatric Association approved the Declaration of Hawaii, setting out ethical guidelines for the practice of psychiatry. The Declaration was subsequently updated in Vienna in 1983. To reflect the impact of changing social attitudes and new medical developments on the psychiatric profession, the World Psychiatric Association has once again examined and revised some of these ethical standards.

Medicine is both a healing art and a science. The dynamics of this combination are best reflected in psychiatry, the branch of medicine that specializes in the care and protection of those who are ill and infirm, because of a mental disorder or impairment. Although there may be cultural, social and national differences, the need for ethical conduct and continual review of ethical standards is universal.

As practitioners of medicine, psychiatrists must be aware of the ethical implications of being a physician, and of the specific ethical demands of the specialty of psychiatry. As members of society, psychiatrists must advocate for fair and equal treatment of the mentally ill, for social justice and equity for all.

Ethical behavior is based on the psychiatrist's individual sense of responsibility towards the patient and their judgment in determining what is correct and appropriate conduct. External standards and influences such as professional codes of conduct, the study of ethics, or the rule of law by themselves will not guarantee the ethical practice of medicine.

Psychiatrists should at all times keep in mind the boundaries of the psychiatrist-patient relationship, and be guided primarily by the respect for patients and concern for their welfare and integrity.

It is in this spirit that the World Psychiatric Association approved at the General Assembly on August 25th, 1996, the following ethical standards that should govern the conduct of psychiatrists worldwide.

1. Psychiatry is a medical discipline concerned with the provision of the best treatment for mental disorders, with the rehabilitation of individuals suffering from mental illness and with the promotion of mental health. Psychiatrists serve patients by providing the best therapy available consistent with accepted scientific knowledge and ethical principles. Psychiatrists should devise therapeutic interventions that are least restrictive to the freedom of the patient and seek advice in areas of their work about which they do not have primary expertise. While doing so, psychiatrists should be aware of and concerned with the equitable allocation of health resources.
2. It is the duty of psychiatrists to keep abreast scientific developments of the specialty and to convey updated knowledge to others. Psychiatrists trained in research should seek to advance the scientific frontiers of psychiatry.
3. The patient should be accepted as a partner by right in the therapeutic process. The psychiatrist-patient relationship must be based on mutual trust and respect to allow the patient to make free and informed decisions. It is the

duty of psychiatrists to provide the patient with relevant information so as to empower the patient to come to a rational decision according to personal values and preferences.

4. When the patient is incapacitated and/or unable to exercise proper judgment because of a mental disorder, or gravely disabled or incompetent, the psychiatrists should consult with the family and, if appropriate, seek legal counsel, to safeguard the human dignity and the legal rights of the patient. No treatment should be provided against the patient's will, unless withholding treatment would endanger the life of the patient and/or those who surround him or her. Treatment must always be in the best interest of the patient.
5. When psychiatrists are requested to assess a person, it is their duty first to inform and advise the person being assessed about the purpose of the intervention, the use of the findings, and the possible repercussions of the assessment. This is particularly important when the psychiatrists are involved in third party situations.
6. Information obtained in the therapeutic relationship should be kept in confidence and used, only and exclusively, for the purpose of improving the mental health of the patient. Psychiatrists are prohibited from making use of such information for personal reasons, or financial or academic benefits. Breach of confidentiality may only be appropriate when serious physical or mental harm to the patient or to a third person would ensue if confidentiality were maintained; as in case of child abuse in these circumstances, psychiatrists, should whenever possible, first advise the patient about the action to be taken.
7. Research that is not conducted in accordance with the canons of science is unethical. Research activities should be approved by an appropriately constituted ethical committee. Psychiatrists should follow national and international rules for the conduct of research. Only individuals properly trained for research should undertake or direct it. Because psychiatric patients are particularly vulnerable research subjects, extra caution should be taken to safeguard their autonomy as well as their mental and physical integrity. Ethical standards should also be applied in the selection of population groups, in all types of research including epidemiological and sociological studies and in collaborative research involving other disciplines or several investigating centers.

Guidelines concerning specific situations

The World Psychiatric Association Ethics Committee's recognizes the need to develop a number of specific guidelines on a number of specific situations. The first five were approved by the General Assembly in Madrid, Spain, on August 25, 1996 and the last by the General Assembly in Hamburg, Germany, on August 8, 1999.

- **Euthanasia:** A physician's duty, first and foremost, is the promotion of health, the reduction of suffering, and the protection of life. The psychiatrist, among whose patients are some who are severely incapacitated and incompetent to reach an informed decision, should be particularly careful of actions that could lead to the death of those who cannot protect themselves because of their disability. The psychiatrist should be aware that the views of a patient may be

distorted by mental illness such as depression. In such situations, the psychiatrist's role is to treat the illness.

- **Torture:** Psychiatrists shall not take part in any process of mental or physical torture, even when authorities attempt to force their involvement in such acts.
- **Death Penalty:** Under no circumstances should psychiatrists participate in legally authorized executions nor participate in assessments of competency to be executed.
- **Selection of Sex:** Under no circumstances should a psychiatrist participate in decisions to terminate pregnancy for the purpose of sex selection.
- **Organ Transplantation:** The role of the psychiatrist is to clarify the issues surrounding organ donations and to advise on religious, cultural, social and family factors to ensure that informed and proper decisions be made by all concerned. The psychiatrists should not act as a proxy decision maker for patients nor use psychotherapeutic skills to influence the decision of a patient in these matters. Psychiatrists should seek to protect their patients and help them exercise self-determination to the fullest extent possible in situations of organ transplantation.
- **Psychiatrists addressing the media.** The media has a key role in shaping the attitudes of the community. In all contacts with the media psychiatrists shall ensure that people with mental illness are presented in a manner which preserves their dignity and pride, and which reduces stigma and discrimination against them. An important role of psychiatrists is to advocate for those people who suffer from mental disorders. As the public perception of psychiatrists and psychiatry reflects on patients, psychiatrists shall ensure that in their contact with the media they represent the profession of psychiatry with dignity. Psychiatrists shall not make announcements to the media about presumed psychopathology on any individuals. In presenting research findings to the media, psychiatrists shall ensure the scientific integrity of the information given and be mindful of the potential impact of their statements on the public perception of mental illness and on the welfare of people with mental disorders.
- **Psychiatrists and discrimination on ethnic or cultural grounds.** Discrimination by psychiatrists on the basis of ethnicity or culture, whether directly or by aiding others is unethical. Psychiatrists shall never be involved or endorse, directly or indirectly, any activity related to ethnic cleansing.
- **Psychiatrists and genetic research and counseling.** Research on the genetic bases of mental disorders is rapidly increasing and more people suffering from mental illness are participating in such research. Psychiatrists involved in genetic research or counseling shall be mindful of the fact that the implication of genetic information are not limited to the individual from whom it was obtained and that its disclosure can have negative and disruptive effects on the families and communities of the individuals concerned. Psychiatrist shall therefore ensure that:
 - People and families who participate in genetic research do so with a fully informed consent;
 - Any genetic information in their possession is adequately protected against unauthorized access, misinterpretation or misuse;
 - Care is taken in communication with patients and families to make clear that current genetic knowledge is incomplete and may be altered by future findings.

Psychiatrists shall only refer people to facilities for diagnostic genetic testing if that facility has:

- Demonstrated satisfactory quality assurance, procedures for such testing;
- Adequate and easily accessible resources for genetic counseling. Genetic counseling with regard to family planning or abortion shall be respectful of the patients' value system, while providing sufficient medical and psychiatric information to aid patients make decisions they consider best for them.

FOUR ADDITIONAL SPECIFIC ETHICAL GUIDELINES

1) ETHICS OF PSYCHOTHERAPY IN MEDICINE

Medical treatments of any nature should be administered under the provisions of good practice guidelines regarding their indications, effectiveness, safety, and quality control. Psychotherapy, in its broadest sense, is an accepted component of many medical interactions . In a more specific and restricted sense, psychotherapy utilizes techniques involving verbal and non-verbal communication and interaction to achieve specified treatment goals in the care of specific disorders. Psychiatrists providing specific forms of psychotherapy must have appropriate training in such techniques. The general guidelines that apply to any medical treatment also apply to specific forms of psychotherapy in regard to its indications and outcomes, positive or negative. The effectiveness of psychotherapy and its place in a treatment plan are important subjects for both researchers and clinicians. Psychotherapy by psychiatrists is a form of treatment for mental and other illnesses and emotional problems. The treatment approach utilized is determined in concert by the doctor and patient and/or the patient's family and/or guardians following a careful history and examination employing all relevant clinical and laboratory studies. The approach employed should be specific to the disease and patient's needs and sensitive to personal, familial, religious and cultural factors. It should be based on sound research and clinical wisdom and have the purpose of removing, modifying or retarding symptoms or disturbed patterns of behavior. It should promote positive adaptations including personal growth and development. Psychiatrists and other clinicians responsible for a patient have to ensure that these guidelines are fully applied. Therefore, the psychiatrist or other delegated qualified clinician, should determine the indications for psychotherapy and follow its development . In this context the essential notion is that the treatment is the consequence of a diagnosis and both are medical acts performed to take care of an ill person. These two levels of decisions, interventions and responsibilities are similar to other situations in clinical medicine, however this does not exclude other interventions such as rehabilitation which can be administered by non-medical personnel.

6. Like any other treatment in medicine, the prescription of psychotherapy should follow accepted guidelines for obtaining informed consent prior to the initiation of treatment as well as updating it in the course of treatment if goals and objectives of treatment are modified in a significant way.
7. If clinical wisdom, long standing and well-established practice patterns (this takes into consideration cultural and religious issues) and scientific evidence suggest potential clinical benefits to combining medication treatment with psychotherapy this should be brought to the patient's attention and fully discussed.
8. Psychotherapy explores intimate thoughts, emotions and fantasies, and as such may engender intense transference and counter-transference. In a psychotherapy relationship the power is unequally shared between the therapist and patient, and under no circumstances shall the psychotherapist use this relationship to personal advantage or transgress the boundaries established by the professional relationship.
9. At the initiation of psychotherapy, the patient shall be advised that information shared and health records will be kept in confidence except where the patient gives specific informed consent for release of information to third parties, or where a court order may require the production of records. The other exception is where there is a legal requirement to report certain information as in the case of child abuse.

2) CONFLICT OF INTEREST IN RELATIONSHIP WITH INDUSTRY

Although most organizations and institutions, including the WPA, have rules and regulations governing their relationship with industry and donors, individual physicians are often involved in interactions with the pharmaceutical industry, or other granting agencies that could lead to ethical conflict. In these situations psychiatrists should be mindful of and apply the following guidelines.

10. The practitioner must diligently guard against accepting gifts that could have an undue influence on professional work.
11. Psychiatrists conducting clinical trials are under an obligation to disclose to the Ethics Review Board and their research subjects their financial and contractual obligations and benefits related to the sponsor of the study. Every effort should be made to set up review boards composed of researchers, ethicists and community representatives to assure the rights of research subjects are protected.
12. Psychiatrists conducting clinical trials have to ensure that their patients have understood all aspects of the informed consent. The level of education or sophistication of the patient is no excuse for bypassing this commitment. If the patient is deemed incompetent the same rules would apply in obtaining informed consent from the substitute decision maker. Psychiatrists must be cognizant that covert commercial influence on the trial design, promotion of drugs trials without scientific value, breach of confidentiality, and restrictive contractual clauses regarding publication of results may each in different ways encroach upon the freedom of science and scientific information.

3) CONFLICTS ARISING WITH THIRD PARTY PAYERS

The obligations of organizations toward shareholders or the administrator regarding maximization of profits and minimization of costs can be in conflict with the principles of good practice Psychiatrists working in such potentially conflicting environments, should uphold the rights of the patients to receive the best treatment possible.

- 13.In agreement with the UN Resolution 46/119 of the “Principles for the Protection of Persons with Mental Illness, psychiatrists should oppose discriminatory practices which limit their benefits and entitlements, deny parity curb the scope of treatment, or limit their access to proper medications for patients with a mental disorder.
- 14.Professional independence to apply best practice guidelines and clinical wisdom in upholding the welfare of the patient should be the primary considerations for the psychiatrist. It is also the duty of the psychiatrist to protect the patient privacy and confidentiality as part of preserving the sanctity and healing potential of the doctor-patient relationship.

4) VIOLATING THE CLINICAL BOUNDARIES AND TRUST BETWEEN PSYCHIATRISTS AND PATIENTS

The psychiatrist-patient relationship may be the only relationship that permits an exploration of the deeply personal and emotional space, as granted by the patient. Within this relationship, the psychiatrist's respect for the humanity and dignity of the patient builds a foundation of trust that is essential for a comprehensive treatment plan. The relationship encourages the patient to explore deeply held strengths, weaknesses, fears, and desires, and many of these might be related to sexuality. Knowledge of these characteristics of the patient places the psychiatrist in a position of advantage that the patient allows on the expectation of trust and respect. Taking advantage of that knowledge by manipulating the patient's sexual fears and desires in order to obtain sexual access is a breach of the trust, regardless of consent. In the therapeutic relationship, consent on the part of the patient is considered vitiated by the knowledge the psychiatrists possesses about the patient and by the power differential that vests the psychiatrist with special authority over the patient. Consent under these circumstances will be tantamount to exploitation of the patient.

The latent sexual dynamics inherent in all relationships can become manifest in the course of the therapeutic relationship and if they are not properly handled by the therapist can produce anguish to the patient. This anguish is likely to become more pronounced if seductive statements and inappropriate non-verbal behavior are used by the therapist. Under no circumstances, therefore, should a psychiatrist get involved with a patient in any form of sexual behavior, irrespective of whether this behavior is initiated by the patient or the therapist.